SMART HOME Specifications 6/12/2023

## Neighborhood: Stanley-Martin Custom Homes, LLC - Build on Your Lot

Housetypes: 001377 Finn, 001396 Jocelyn, 001375 Scarlett, 001376 Sienna

## Included Options Opt. 04500 - Garage Door Opener with Remote

- Opt. 05939 Primary Bath Tile Mudset Shower Pan
- Opt. 06620 HVAC Zone Control.

. Opt. 109980 - Select Electric Non Gourmet Appliances with Option 110041 - Side-by-

- Side Refrigerator.
- Opt. 104000 Classic Collection (See Brochure)

## Flooring: Opt. 10400 - Classic Collection (See Brochure)

Hard Surface Laminate (Where Applicable by Plan) - Foyer, Main Level Hall, Powder Room, Garage Entry, Kitchen, Eating Area/Breakfast Room and Laundry room.

Up 1 Carpet with Up 1 Pad in Second Floor (except Laundry) and all areas on First Floor not specified as Hard Surface.

Ceramic - Floor: Up 2 Tile all baths. Wall: Up 2 Tile Primary Bath and Up 1 Tile in Secondary Baths.

See SMH Design Collection Classic location/room specific

Product Book		Included Options
Description	ТМТ	
Foundation		
Drain Tile (Exterior)	214	#57 Crushed Stone, 12"x12" filter fabric, 4" corrugated drain pipe.
Waterproofing	216	GMX Ultra-Shield; Manufactured by Garland Ind., Color: Black
Termite Treatment	218	FMC Prevail Termiticide
Sump Crock	224	Topp Industries, 18"x22", 22 Gallon
Bsmnt Egress Window	224	Bowman Kemp 4040, Ladder, Grate & Plastic Cover
Domini Egress Window	227	Unlimited Inc. 11000 Series Vinyl 24x12 Low E Freedom Basement Window, Color:
Foundation Windows	224	White
Window Wells	212	Admiral Steel, Round Style as required by grade.
Ceiling Heights		
Rough Frame Material	0.05	
Steel Columns	225	Marshall Stamping or AFCO, Color: Black, Size per Structural Plans
Steel Beams	225	Nucor or Steel Dynamics, Color: Black, Size per Structural Plans
Floor Trusses Loose Lumber	228 232	Weyerhaeuser TJI, I-Joist Size per Structural Plans 2x Stud Grade Material
Floor Sheathing	232	Huber Blue Plus
Roof Sheathing	234	OSB
House Wrap & Tape	234	Typar Housewrap & Typar Housewrap construction tape
Wall Sheathing	235	OSB
Window Flashing Tape	230	FortiFlash window tape
Roof Trusses	238	Material per Structural Plans
Windows	260	
Wildows	200	United Minut Colory White 2000 Series Windows, Single Hung, Low F. H.B. Class
Window Spec	260	United, Vinyl, Color: White 3900 Series Windows, Single Hung, Low-E HP Glass w/GBG - Energy Star
Colors	260	Front and Side, Rear Elevation White, See color scheme
Applied Brick Mould	260	No
Jamb Ext.	260	No
Exterior Doors		
Front Door	264	Therma-Tru; Fiberglass Door, Model # per elevation - Energy Star
Slider	264	Plygem Sliding Glass Door w/GBG; NO screen on SGD
Atrium Door	264	Option not offered regardless if shown on plan
Garage Fire Rated Door	264	Therma-Tru; TS210 Steel Door, w/Spring Hinges
Basement Exit Door	264	Therma-Tru; TS262 Steel Door, 9-Lite, GBG, 2 Panel.
Garage Doors		
Garage Doors	274	Amarr Metal, Non-Insulated (Model # , Windows, Grills, Hardware & Panel Style Per Elevation, Color Per Color Scheme)
Garage Door Opener	274	Opt 04500- Garage Door Opener with Remote
Roofing - Main House		
Material	246	CertainTeed Landmark, Limited Lifetime; (Per Color Scheme)
Roof-Porch/Bay Windows	246	Asphalt, Opt. Metal per Elevation
Water Table/Eye Brows	246	Asphalt, Opt. Metal per Elevation
Exterior Trim		
Fascia, Rake & Freize Finish Material	250	Berger Aluminum (Color Per Color Schemes)
Soffit	250	Certainteed Vinyl Vented Soffit (Color Per Color Scheme)
Misc.Trim Material: Including - Windows(Per Architecturals), Beam Wrap & Garage Door Jambs	268	James Hardie Primed 5/4" Primed & Painted (Per Color Scheme)
Outside/Inside Corners/"J" Channel	250	3" Nominal Vinyl Outside Corners (Color to match siding on front of home)
Head Features	268	Fypon or Hardie 5/4" where applicable - Must be packed out so that the "J" Channel can run behind (paint to match trim)
Rails	268	RDI, Titan Rails, Vinyl with Aluminum insert, Color: Match Exterior Trim
	1	Per Plan. Standard Metal Rail Detail - 1606L Moulded Top Rail (ASTM A-36), 1"x11
Metal Rails	318	Ga Sq Tube post (ASTM A-513), 1/2" Sq Bar Pickets(ASTM A-36), 1"x1/2" Channel Bottom (ASTM A-36), Primed and Painted, color Black. <b>Rails may need to be purchased, if not shown standard on plan, to meet code. Instances my occur where there is a mix of vinyl railing (stoops) and metal railing (stairs).</b>

Gutters	& Downspouts Splash Blocks	248	Amerimax 24" x 12" x 2" Splash Block, Green
Exterior	Finishes		
	Siding	250	Siding - Veraform .44 D4 Clapboard - Camden Pointe
	Siding	250	Board & Batten, Vertical Siding & Trim over Smooth Siding (As noted by elevations) – Variform Board & Batten Series Vertical Vinyl Siding (7" Spacing Standard between Batten Strips)
	Accessories Shutters	250 250	Mastic or Mid-America, Color: To Match Siding Mastic or Mid-America, Raised Panel, Color: Per Exterior Color Scheme
	Rails	268	RDI, Titan Rails or similar Vinyl with Aluminum insert, Color: Match Exterior Color Scheme
	Exterior Columns	268	PVC Custom Built, 2 Piece Columns, Style per Elevation
Plumbing			
	Water Distribution System	278	Flow Guard Gold, CPVC
	Underslab Water Distribution	278	Polyethylene water pipes used below slab, sized per code PVC Cellular Core Discharge Piping, Floor Drain: Soiux Chief Atlas Drain, Welled
	Waste Discharge System Sewer - Public	278 278	Exit Drain: Jones Steves 9" Round Color: Black JD50379 4" Schedule 40 PVC Cellular Core pipe
	Hung Sewer Pit	278	Jackel LM1830-22SF
	Hung Sewer Pump	278	Zoeller M267 sewer ejector pump (included option as needed, \$0 Sales Cost)
	Hung Sewer Alarm	278	Zoeller 101494 high water alarm (included option as needed, \$0 Sales Cost)
	Sump Pump	278	Proflo PF92352, 1/3 HP, 60 GPM Max flow rate
	Gas Lines	278	Schedule 40 Black Steel Gas pipe
	Basement Rough-In Water Heater	278 278	3-Piece Below Slab RI; Stubbed and capped drains for Shower, Toilet & Vanity 50 Gallon Electric, Model # EN6-50-DORT (.94 EF)
	Thermal Expansion Tank	278	Profilo PFT12
	Mixing Valve ("Tank Booster")	278	Cash Acme Model # 24644
	Kitchen Sink	310	Opt. 104000 - Classic Collection
	Kitchen Faucet	278	Opt. 104000 - Classic Collection
	Garbage Disposal	278	Badger 1/3 HP, ISEBADGER1
	Powder Room Pedestal Sink	278	Sterling 442124-0, 4" Spread, 3 Hole, Vitreous China, Color: White
	Powder Room Pedestal Sink Faucet	278	K15241-4RA-CP, 4" Spread, Corolais Series, Chrome, 2 Handle
	Commodes - All Baths	278	Sterling, Windham Series, 1.28 Gallon, 2 Piece Toilet, Bowl 403215-0, Tank 40455 0, Color: White
	Secondary Baths - Tub & Wall Surround Module	278	Sterling 7104 Series, Performa, W/Out Walls, Color: White
	Secondary Baths - Tub/Shower Faucet	278	Kohler, Corolais, Lever Handle, K-TS15601-4-CP with K304-K-NA Diverter, Color: Chrome
	Secondary Baths - Shower Only Faucet	278	Kohler, Corolais, Lever Handle, KTS15611-4-CP with K304-K-NA Diverter, Color: Chrome
	Secondary Baths - Vanity Faucets	278	Kohler, K15241-4RA-CP, 4" Centerset, Corolais Series, Chrome, 2 Handle
	Primary Shower Pan Secondary Shower Pans	278 278	Opt. 5939 - Tiled Mudset Shower Pan Florestone Fiberglass Pan, Color: White, per the architecture
	Primary Bath Tub		Kohler Soaking Tub, Model and Size dependent on Architecturals. K1259-0 Mariposa 6x36, K1242-0 Mariposa 5x36, K1161-0 Turcet, K1165-0 Sunward (Oval
	Primary Bath Tub	278	Tub), K1184-0 Devonshire 5x32 Opt 4950 - Kohler Sunstruck K-6369-0 with deck mounted faucet
	Primary Bath Tub-Faucet	278	Kohler, Corolais Series, 3 Piece Lever Handles, K15290-4-CP with K300-K-NA Diverter, Color: Chrome
	Primary Bath Vanity Faucets Laundry Room	278 278	Kohler, K15261-4RA-CP, 8" Spread, Corolais Series, Chrome, 2 Handle. Soiux Chief Ox Box, Washbox and Standpipe outlet and with two valve, water
		278	hammer arrestors, Color: White
	Laundry Tub Laundry Faucet	278	Opt. Florestone, FM-3, Color: White Opt. Kohler K15270-4-B-CP, 2 Blade Handle Faucet, Color: Chrome
	Ice Maker Box	278	Soiux Chief Ox Box, single valve, water hammer arrestor, Color: White
	Hose Bib	278	Prier, C144 Series. Freezeless Hose Bib, 2 Total Std
	Passive Radon	278	3" PVC Pipe
	Secondary Bath Shower Rod	278	Chrome Tension Rod
HVAC			
	Gas Furnace	284	Trane, S9X1 UP TO 96% AFUE Tonnage and Zoning based on actual house size.
	Air Conditioning	284	Trane, XR14 (4TTR) 14 (SEER) Tonnage and Zoning based on actual house size.
	Zone Control Anti-Vibration Wall Brackets	284 284	Opt. 06620 - HVAC Zone Control For Compressor Mounting 48x48 Unit Brackets Heavy Gauge Steel
	Dryer Vent Box	284	Construction Solutions - DBX1001
	Thermostats	284	Honeywell T4 Pro - Programmable Thermostat
	Bathroom Exhaust Fan	284	Broan AE80B 80 CFM Fan Powder Room; Broan 744 FL Combo
	Microwave	336	Vented to Exterior
	Air Filter	284	Aprilaire Cabinet with Merv 11 Media Filter
Prefab F	Air Cycler ireplace	284	8140 Aprilaire Fresh Air Ventilator/Low Wattage Fan
	Fireplace box	222/298	Optional per plan
	Mantel	222/298	Optional per plan
_	Surround & Flush Hearth	222/298	Optional per plan
Electrica		200	200 Amp. Eaton Load Conter
	Electrical Service Door Chimes/Bells	288 288	200 Amp, Eaton Load Center Craftmaid, C102l Chime Kit with NuTone, C907 Transformer, Color: White
	GFCI Protected Electrical Outlet	288	2 Front & Rear; GFCI Prot. Outlet, Color: White
	Outlets & Switches	288	Toggle Style, Color: White
	Electrical Fixtures - 1 Story Foyer	335	LED Disk 43870WHLED30
	Electrical Fixtures - 2 Story Foyer	335	LED Disk 43870WHLED30
	Electrical Fixtures - Dining Room	335	Kichler, 43671NI,OZ
		-	
	Kitchen Lights	335	Opt. 104000 - Classic Collection
	Kitchen Lights Walk In Closets	335 335	LED Disk 43870WHLED30
	Kitchen Lights Walk In Closets Non-Walk in Closets	335 335 335	LED Disk 43870WHLED30 LED Disk 43870WHLED30
	Kitchen Lights Walk In Closets	335 335 335	LED Disk 43870WHLED30

		000	
	Unfinished Basement Areas	288 335	AF, K5000, Color: White LED Disk 43870WHLED30
	Recessed (Dry Areas) Recessed (Wet Areas)	335	LED Disk 43870WHLED30
	Electrical Fixtures - Front Wall Lantern	335	Kichler, 9736 TZ, Finish: Tannery Bronze
	Electrical Fixtures - Outdoor Photocell	335	3010 Tork House Mounted Photocell @ Front Door Light
	Electrical Fixtures - Rear/Side Wall Lantern	335	Kichler, 9735 TZ, Finish: Tannery Bronze
Telepho	ne/TV	293	Media Outlet (RG6 TV,Cat6 Lan) in Family Room/Great Room, Primary Bedroom and Flex or Finished Rec Room
	Network Box	293	On-Q Legrand
Security	,		
	Smoke & Carbon Monoxide Combination	288	Kidde, FireX Smoke Carbon Combo
luterier (	Detectors w/Battery Backup Stairs and Rails	200	
interior a	Lower Level Stair	256	Pine Box Stair Wall with Handrail and Cap Board - per plan
	Main Level Stair	256	Pine Box Stair Wall with Rake Wall and Cap Board - per plan
	Lower Level Rails	257	Pine Oval WM240, Brushed Nickel Brackets
	Main Level Rails	257	Oak 6010SC Handrail Stained, Brushed Nickel Bracket
	Optional Railing Upgrade	257	Opt. 06051 - Rake Rail (boxed stair) - per plan
	Optional Railing Upgrade Optional Railing Upgrade	256/257 257	Opt. 06000 - Oak Stair with Open Rail - per plan (See picture below) Option 06057 w/opt 06000 Iron Baluster upgrade.
		257	
			OF RAVE RAIL
			OF RALE RAIL KNEEMALL @ STAIRS
			END NEWEL DTL & OPT. CAK STAIR
		256/257	Picture of Option 06000 - Oak Stairs (includes open rail) - per plan
Inculation	<b>NN</b>	292	
Insulatio		-	
1	Insulated Garade Walls & Cellind	292	Per RES Check/Plan Details
	Insulated Garage Walls & Ceiling Attic	292 292	Per RES Check/Plan Details CertainTeed or best market value - Blown Insulation, Color: White
			CertainTeed or best market value - Blown Insulation, Color: White CertainTeed or best market value - Color: Brown Face Paper, Yellow Insulation
	Attic	292	CertainTeed or best market value - Blown Insulation, Color: White CertainTeed or best market value - Color: Brown Face Paper, Yellow Insulation CertainTeed or best market value - Batted Insulation; Color: Brown Face Paper,
	Attic Sloped Ceilings Exterior Walls	292 292 292	CertainTeed or best market value - Blown Insulation, Color: White CertainTeed or best market value - Color: Brown Face Paper, Yellow Insulation CertainTeed or best market value - Batted Insulation; Color: Brown Face Paper, Yellow Insulation
	Attic Sloped Ceilings	292 292	CertainTeed or best market value - Blown Insulation, Color: White CertainTeed or best market value - Color: Brown Face Paper, Yellow Insulation CertainTeed or best market value - Batted Insulation; Color: Brown Face Paper,
	Attic Sloped Ceilings Exterior Walls	292 292 292	CertainTeed or best market value - Blown Insulation, Color: White CertainTeed or best market value - Color: Brown Face Paper, Yellow Insulation CertainTeed or best market value - Batted Insulation; Color: Brown Face Paper, Yellow Insulation CertainTeed or best market value - Batted Insulation; Color: Brown Face Paper, Yellow Insulation Perforated FSK fastened to wall and taped.
	Attic Sloped Ceilings Exterior Walls Basement Walls	292 292 292 292 292	CertainTeed or best market value - Blown Insulation, Color: White CertainTeed or best market value - Color: Brown Face Paper, Yellow Insulation CertainTeed or best market value - Batted Insulation; Color: Brown Face Paper, Yellow Insulation CertainTeed or best market value - Batted Insulation; Color: Brown Face Paper, Yellow Insulation Perforated FSK fastened to wall and taped. Wall & Ceiling Access
	Attic Sloped Ceilings Exterior Walls Basement Walls	292 292 292 292 292	CertainTeed or best market value - Blown Insulation, Color: White CertainTeed or best market value - Color: Brown Face Paper, Yellow Insulation CertainTeed or best market value - Batted Insulation; Color: Brown Face Paper, Yellow Insulation CertainTeed or best market value - Batted Insulation; Color: Brown Face Paper, Yellow Insulation Perforated FSK fastened to wall and taped. Wall & Ceiling Access - 1"x 4" jamb material
	Attic Sloped Ceilings Exterior Walls Basement Walls	292 292 292 292 292	CertainTeed or best market value - Blown Insulation, Color: White CertainTeed or best market value - Color: Brown Face Paper, Yellow Insulation CertainTeed or best market value - Batted Insulation; Color: Brown Face Paper, Yellow Insulation CertainTeed or best market value - Batted Insulation; Color: Brown Face Paper, Yellow Insulation Perforated FSK fastened to wall and taped. <b>Wall &amp; Ceiling Access</b> - 1"x 4" jamb material - Casing material around jamb to match neighborhood spec - 1 ½" Rigid foam insulation (R-7.5) to be glued to top side of MDF
	Attic Sloped Ceilings Exterior Walls Basement Walls	292 292 292 292 292	CertainTeed or best market value - Blown Insulation, Color: White CertainTeed or best market value - Color: Brown Face Paper, Yellow Insulation CertainTeed or best market value - Batted Insulation; Color: Brown Face Paper, Yellow Insulation CertainTeed or best market value - Batted Insulation; Color: Brown Face Paper, Yellow Insulation Perforated FSK fastened to wall and taped. <b>Wall &amp; Ceiling Access</b> - 1"x 4" jamb material - Casing material around jamb to match neighborhood spec - 1 ½" Rigid foam insulation (R-7.5) to be glued to top side of MDF - ½" MDF panel "door" cut to fit RO
	Attic Sloped Ceilings Exterior Walls Basement Walls	292 292 292 292 292	CertainTeed or best market value - Blown Insulation, Color: White CertainTeed or best market value - Color: Brown Face Paper, Yellow Insulation CertainTeed or best market value - Batted Insulation; Color: Brown Face Paper, Yellow Insulation CertainTeed or best market value - Batted Insulation; Color: Brown Face Paper, Yellow Insulation Perforated FSK fastened to wall and taped. <u>Wall &amp; Ceiling Access</u> - 1"x 4" jamb material - Casing material around jamb to match neighborhood spec - 1 ½" Rigid foam insulation (R-7.5) to be glued to top side of MDF - ½" MDF panel "door" cut to fit RO - Attic access jamb to include weather strip stapled to top edge of opening, 100%
	Attic Sloped Ceilings Exterior Walls Basement Walls	292 292 292 292 292	CertainTeed or best market value - Blown Insulation, Color: White CertainTeed or best market value - Color: Brown Face Paper, Yellow Insulation CertainTeed or best market value - Batted Insulation; Color: Brown Face Paper, Yellow Insulation CertainTeed or best market value - Batted Insulation; Color: Brown Face Paper, Yellow Insulation Perforated FSK fastened to wall and taped. <b>Wall &amp; Ceiling Access</b> - 1"x 4" jamb material - Casing material around jamb to match neighborhood spec - 1 ½" Rigid foam insulation (R-7.5) to be glued to top side of MDF - ½" MDF panel "door" cut to fit RO - Attic access jamb to include weather strip stapled to top edge of opening, 100% cellular EPDM rubber/white/Self-adhesive foam tape - Trim & Face of access to be caulked (except where panel "door" sits on jamb) &
	Attic Sloped Ceilings Exterior Walls Basement Walls	292 292 292 292 292	CertainTeed or best market value - Blown Insulation, Color: White CertainTeed or best market value - Color: Brown Face Paper, Yellow Insulation CertainTeed or best market value - Batted Insulation; Color: Brown Face Paper, Yellow Insulation CertainTeed or best market value - Batted Insulation; Color: Brown Face Paper, Yellow Insulation Perforated FSK fastened to wall and taped. <b>Wall &amp; Ceiling Access</b> - 1"x 4" jamb material - Casing material around jamb to match neighborhood spec - 1 ½" Rigid foam insulation (R-7.5) to be glued to top side of MDF - ½" MDF panel "door" cut to fit RO - Attic access jamb to include weather strip stapled to top edge of opening, 100% cellular EPDM rubber/white/Self-adhesive foam tape - Trim & Face of access to be caulked (except where panel "door" sits on jamb) & painted semi-gloss white
	Attic Sloped Ceilings Exterior Walls Basement Walls Unfinished Basement Areas	292 292 292 292 292 292	CertainTeed or best market value - Blown Insulation, Color: White CertainTeed or best market value - Color: Brown Face Paper, Yellow Insulation CertainTeed or best market value - Batted Insulation; Color: Brown Face Paper, Yellow Insulation CertainTeed or best market value - Batted Insulation; Color: Brown Face Paper, Yellow Insulation Perforated FSK fastened to wall and taped. <b>Wall &amp; Ceiling Access</b> - 1"x 4" jamb material - Casing material around jamb to match neighborhood spec - 1 ½" Rigid foam insulation (R-7.5) to be glued to top side of MDF - ½" MDF panel "door" cut to fit RO - Attic access jamb to include weather strip stapled to top edge of opening, 100% cellular EPDM rubber/white/Self-adhesive foam tape - Trim & Face of access to be caulked (except where panel "door" sits on jamb) & painted semi-gloss white <b>Wall Access Only</b>
	Attic Sloped Ceilings Exterior Walls Basement Walls Unfinished Basement Areas	292 292 292 292 292 292	CertainTeed or best market value - Blown Insulation, Color: White CertainTeed or best market value - Color: Brown Face Paper, Yellow Insulation CertainTeed or best market value - Batted Insulation; Color: Brown Face Paper, Yellow Insulation CertainTeed or best market value - Batted Insulation; Color: Brown Face Paper, Yellow Insulation Perforated FSK fastened to wall and taped. <b>Wall &amp; Ceiling Access</b> - 1"x 4" jamb material - Casing material around jamb to match neighborhood spec - 1 ½" Rigid foam insulation (R-7.5) to be glued to top side of MDF - ½" MDF panel "door" cut to fit RO - Attic access jamb to include weather strip stapled to top edge of opening, 100% cellular EPDM rubber/white/Self-adhesive foam tape - Trim & Face of access to be caulked (except where panel "door" sits on jamb) & painted semi-gloss white <b>Wall Access Only</b> - ½" MDF cut to cover opening - Casing material around MDF Face match neighborhood spec
	Attic Sloped Ceilings Exterior Walls Basement Walls Unfinished Basement Areas	292 292 292 292 292 292	CertainTeed or best market value - Blown Insulation, Color: White         CertainTeed or best market value - Color: Brown Face Paper, Yellow Insulation         CertainTeed or best market value - Batted Insulation; Color: Brown Face Paper, Yellow Insulation         CertainTeed or best market value - Batted Insulation; Color: Brown Face Paper, Yellow Insulation         CertainTeed or best market value - Batted Insulation; Color: Brown Face Paper, Yellow Insulation         CertainTeed or best market value - Batted Insulation; Color: Brown Face Paper, Yellow Insulation         Perforated FSK fastened to wall and taped. <b>Wall &amp; Ceiling Access</b> - 1 <sup>x</sup> / <sub>x</sub> arging material         - Casing material around jamb to match neighborhood spec         - 1 <sup>x</sup> / <sub>x</sub> Rigid foam insulation (R-7.5) to be glued to top side of MDF         - ½" MDF panel "door" cut to fit RO         - Attic access jamb to include weather strip stapled to top edge of opening, 100% cellular EPDM rubber/white/Self-adhesive foam tape         - Trim & Face of access to be caulked (except where panel "door" sits on jamb) & painted semi-gloss white <b>Wall Access Only</b> - ½" MDF cut to cover opening         - Casing material around MDF Face match neighborhood spec         - ½" MDF cut to cover opening         - Casing material around MDF Face match neighborhood spec         - Wall access to be secured with 2- 2" screws. Screw caps added for clean finish
	Attic Sloped Ceilings Exterior Walls Basement Walls Unfinished Basement Areas	292 292 292 292 292 292	CertainTeed or best market value - Blown Insulation, Color: White CertainTeed or best market value - Color: Brown Face Paper, Yellow Insulation CertainTeed or best market value - Batted Insulation; Color: Brown Face Paper, Yellow Insulation CertainTeed or best market value - Batted Insulation; Color: Brown Face Paper, Yellow Insulation Perforated FSK fastened to wall and taped. <b>Wall &amp; Ceiling Access</b> - 1"x 4" jamb material - Casing material around jamb to match neighborhood spec - 1 ½" Rigid foam insulation (R-7.5) to be glued to top side of MDF - ½" MDF panel "door" cut to fit RO - Attic access jamb to include weather strip stapled to top edge of opening, 100% cellular EPDM rubber/white/Self-adhesive foam tape - Trim & Face of access to be caulked (except where panel "door" sits on jamb) & painted semi-gloss white <b>Wall Access Only</b> - ½" MDF cut to cover opening - Casing material around MDF Face match neighborhood spec
	Attic Sloped Ceilings Exterior Walls Basement Walls Unfinished Basement Areas	292 292 292 292 292 292	CertainTeed or best market value - Blown Insulation, Color: White         CertainTeed or best market value - Color: Brown Face Paper, Yellow Insulation         CertainTeed or best market value - Batted Insulation; Color: Brown Face Paper, Yellow Insulation         CertainTeed or best market value - Batted Insulation; Color: Brown Face Paper, Yellow Insulation         CertainTeed or best market value - Batted Insulation; Color: Brown Face Paper, Yellow Insulation         CertainTeed or best market value - Batted Insulation; Color: Brown Face Paper, Yellow Insulation         Perforated FSK fastened to wall and taped. <b>Wall &amp; Ceiling Access</b> - 1 <sup>x</sup> / <sub>2</sub> mpm material         - Casing material around jamb to match neighborhood spec         - 1 <sup>x</sup> / <sub>2</sub> Rigid foam insulation (R-7.5) to be glued to top side of MDF         - ½" MDF panel "door" cut to fit RO         - Attic access jamb to include weather strip stapled to top edge of opening, 100% cellular EPDM rubber/white/Self-adhesive foam tape         - Trim & Face of access to be caulked (except where panel "door" sits on jamb) & painted semi-gloss white <b>Wall Access Only</b> - ½" MDF cut to cover opening         - Casing material around MDF Face match neighborhood spec         - ½" MDF cut to cover opening         - Casing material around MDF Face match neighborhood spec         - Wall access to be secured with 2- 2" screws. Screw caps added for clean finish
	Attic Sloped Ceilings Exterior Walls Basement Walls Unfinished Basement Areas	292 292 292 292 292 292	CertainTeed or best market value - Blown Insulation, Color: White         CertainTeed or best market value - Color: Brown Face Paper, Yellow Insulation         CertainTeed or best market value - Batted Insulation; Color: Brown Face Paper, Yellow Insulation         CertainTeed or best market value - Batted Insulation; Color: Brown Face Paper, Yellow Insulation         CertainTeed or best market value - Batted Insulation; Color: Brown Face Paper, Yellow Insulation         CertainTeed or best market value - Batted Insulation; Color: Brown Face Paper, Yellow Insulation         Perforated FSK fastened to wall and taped. <b>Wall &amp; Ceiling Access</b> - 1 <sup>x</sup> / <sub>2</sub> mpm material         - Casing material around jamb to match neighborhood spec         - 1 <sup>x</sup> / <sub>2</sub> Rigid foam insulation (R-7.5) to be glued to top side of MDF         - ½" MDF panel "door" cut to fit RO         - Attic access jamb to include weather strip stapled to top edge of opening, 100% cellular EPDM rubber/white/Self-adhesive foam tape         - Trim & Face of access to be caulked (except where panel "door" sits on jamb) & painted semi-gloss white <b>Wall Access Only</b> - ½" MDF cut to cover opening         - Casing material around MDF Face match neighborhood spec         - ½" MDF cut to cover opening         - Casing material around MDF Face match neighborhood spec         - Wall access to be secured with 2- 2" screws. Screw caps added for clean finish
Drywall	Attic Sloped Ceilings Exterior Walls Basement Walls Unfinished Basement Areas Attic Access	292 292 292 292 292 292 292 292	CertainTeed or best market value - Blown Insulation, Color: White CertainTeed or best market value - Color: Brown Face Paper, Yellow Insulation CertainTeed or best market value - Batted Insulation; Color: Brown Face Paper, Yellow Insulation CertainTeed or best market value - Batted Insulation; Color: Brown Face Paper, Yellow Insulation Perforated FSK fastened to wall and taped. <b>Wall &amp; Ceiling Access</b> - 1"x 4" jamb material - Casing material around jamb to match neighborhood spec - 1 ½" Rigid foam insulation (R-7.5) to be glued to top side of MDF - ½" MDF panel "door" cut to fit RO - Attic access jamb to include weather strip stapled to top edge of opening, 100% cellular EPDM rubber/white/Self-adhesive foam tape - Trim & Face of access to be caulked (except where panel "door" sits on jamb) & painted semi-gloss white <b>Wall Access Only</b> - Zasing material around MDF Face match neighborhood spec - Wall access to be secured with 2- 2" screws. Screw caps added for clean finish - Trim & Face of access to be caulked & painted semi-gloss white
Drywall	Attic Sloped Ceilings Exterior Walls Basement Walls Unfinished Basement Areas Attic Access	292 292 292 292 292 292 292 292 292	CertainTeed or best market value - Blown Insulation, Color: White CertainTeed or best market value - Color: Brown Face Paper, Yellow Insulation CertainTeed or best market value - Batted Insulation; Color: Brown Face Paper, Yellow Insulation CertainTeed or best market value - Batted Insulation; Color: Brown Face Paper, Yellow Insulation Perforated FSK fastened to wall and taped. <b>Wall &amp; Ceiling Access</b> - 1"x 4" jamb material - Casing material around jamb to match neighborhood spec - 1 ½" Rigid foam insulation (R-7.5) to be glued to top side of MDF - ½" MDF panel "door" cut to fit RO - Attic access jamb to include weather strip stapled to top edge of opening, 100% cellular EPDM rubber/white/Self-adhesive foam tape - Trim & Face of access to be caulked (except where panel "door" sits on jamb) & painted semi-gloss white <b>Wall Access Only</b> - ½" MDF cut to cover opening - Casing material around MDF Face match neighborhood spec - Wall access to be secured with 2- 2" screws. Screw caps added for clean finish - Trim & Face of access to be caulked & painted semi-gloss white
Drywall	Attic Sloped Ceilings Exterior Walls Basement Walls Unfinished Basement Areas Attic Access Finishes Window Extensions (Returns)	292 292 292 292 292 292 292 292	CertainTeed or best market value - Blown Insulation, Color: White CertainTeed or best market value - Color: Brown Face Paper, Yellow Insulation CertainTeed or best market value - Batted Insulation; Color: Brown Face Paper, Yellow Insulation CertainTeed or best market value - Batted Insulation; Color: Brown Face Paper, Yellow Insulation Perforated FSK fastened to wall and taped. <b>Wall &amp; Ceiling Access</b> - 1"x 4" jamb material - Casing material around jamb to match neighborhood spec - 1 ½" Rigid foam insulation (R-7.5) to be glued to top side of MDF - ½" MDF panel "door" cut to fit RO - Attic access jamb to include weather strip stapled to top edge of opening, 100% cellular EPDM rubber/white/Self-adhesive foam tape - Trim & Face of access to be caulked (except where panel "door" sits on jamb) & painted semi-gloss white <b>Wall Access Only</b> - Zasing material around MDF Face match neighborhood spec - Wall access to be secured with 2- 2" screws. Screw caps added for clean finish - Trim & Face of access to be caulked & painted semi-gloss white
Drywall	Attic Sloped Ceilings Exterior Walls Basement Walls Unfinished Basement Areas Attic Access Finishes Window Extensions (Returns) Garage	292 292 292 292 292 292 292 292 292 292	CertainTeed or best market value - Blown Insulation, Color: White CertainTeed or best market value - Color: Brown Face Paper, Yellow Insulation CertainTeed or best market value - Batted Insulation; Color: Brown Face Paper, Yellow Insulation CertainTeed or best market value - Batted Insulation; Color: Brown Face Paper, Yellow Insulation Perforated FSK fastened to wall and taped. <b>Wall &amp; Ceiling Access</b> - 1"x 4" jamb material - Casing material around jamb to match neighborhood spec - 1 ½" Rigid foam insulation (R-7.5) to be glued to top side of MDF - ½" MDF panel "door" cut to fit RO - Attic access jamb to include weather strip stapled to top edge of opening, 100% cellular EPDM rubber/white/Self-adhesive foam tape - Trim & Face of access to be caulked (except where panel "door" sits on jamb) & painted semi-gloss white <b>Wall Access Only</b> - ½" MDF cut to cover opening - Casing material around MDF Face match neighborhood spec - Wall access to be secured with 2- 2" screws. Screw caps added for clean finish - Trim & Face of access to be caulked & painted semi-gloss white - Trim & Face of access to be caulked & painted semi-gloss white - Trim & Face of access to be caulked & painted semi-gloss white
-	Attic Sloped Ceilings Exterior Walls Basement Walls Unfinished Basement Areas Attic Access Finishes Window Extensions (Returns) Garage	292 292 292 292 292 292 292 292 292 292	CertainTeed or best market value - Blown Insulation, Color: White CertainTeed or best market value - Color: Brown Face Paper, Yellow Insulation CertainTeed or best market value - Batted Insulation; Color: Brown Face Paper, Yellow Insulation CertainTeed or best market value - Batted Insulation; Color: Brown Face Paper, Yellow Insulation Perforated FSK fastened to wall and taped. <b>Wall &amp; Ceiling Access</b> - 1"x 4" jamb material - Casing material around jamb to match neighborhood spec - 1 ½" Rigid foam insulation (R-7.5) to be glued to top side of MDF - ½" MDF panel "door" cut to fit RO - Attic access jamb to include weather strip stapled to top edge of opening, 100% cellular EPDM rubber/white/Self-adhesive foam tape - Trim & Face of access to be caulked (except where panel "door" sits on jamb) & painted semi-gloss white <b>Wall Access Only</b> - ½" MDF cut to cover opening - Casing material around MDF Face match neighborhood spec - Wall access to be secured with 2- 2" screws. Screw caps added for clean finish - Trim & Face of access to be caulked & painted semi-gloss white Smooth Drywalled Window and Door Returns Taped only, not blocked or finished.

Chair Rail	304	N/A
Baseboard Molding	304	All locations WM432 9/16" x 5 1/2" primed white
Door Casing	304	Doors Casing – WM432 9/16" x 3 1/2"
Window Casing	304	
	304	Apron - WM432 9/16 x 3 1/2"; Stool - WM 1021 11/16 x 5 1/4"
Ogee Trim	304	N/A
Interior Doors	304	Jeldwin Slab, 2 Panel Square, Brushed Nickel Hinges
	304	<b>Opt 100812</b> - Add casing to windows - WM432 9/16" x 3 ½"
Shelving	322	Rubbermaid, Freeslide in Closets, L12/L16 in Linen, M16 tight mesh in Pantry, Vinyl
		Color: White
Painting		
Interior Wall	308	McCormick, Matchpoint, Flat, Color: On Point
Interior Trim	308	McCormick, Matchpoint, Semi-Gloss, Color: Super White
Garage	308	Interior of Garage not painted std.
Exterior: Exposed Foundation Wall	308	McCormick, State House, Color: To Match Siding
Exterior: Downspouts	308	Downspouts - Per Color Scheme (Degree White Standard)
Exterior: Roof Collars	308	Painted Black
Lower to Basement Level Steps	308	McCormick, Murallo, Color: Grey
Steel Columns	308	Not painted
Caulk	308	McCormick, Flex Seal 500, Color: To Match Trim Paint.
Flooring		
Vinyl Floors	338	Armstrong, Color: Per Selection Sheet
Ceramic Tile Walls & Tub Surround	296	Size & Color: Per Design Collection
Ceramic Tile Floors - Primary Bath Floor	296	Size & Color: Per Design Collection
Ceramic Tile Floors - Secondary Bath Floor	296	Size & Color: Per Design Collection
Hard Surface Flooring	338	Per Design Collection
Carpet	338	Shaw Flooring, Color: Per Selection Sheet
Carpet Cushion	338	Leggett & Platt, Color: Per Selection Sheet
Shoe Mould - Flooring	338	Oak 1/4 round stained to match vertical material to which its applied.
Bathroom Accessories		
Mirrors	322	Lenoir Mirrors, Rect. Polish Edge 3/16", Sized per vanity -2"
Framing Material - Mirrors	322	CR Lawrence, J Channel, Finish: Chrome
Oval Mirror-Powder Room	322	Lenoir Mirrors, 20x36 Oval 3/16 Beveled Edge, with clear Plastic Clips
Toilet Paper Holder	322	See Classic Collection
Towel Bar	322	See Classic Collection
Medicine Cabinets	322	N/A
Shower Door	322	Coral
Door Hardware		
Deadbolt	320	Schlage, JD60 619, Finish: Brushed Nickel
Entry Handleset	320	Schlage, Barcelona JH58 BAR 619 FLA, Finish: Brushed Nickel
Entry Lock	320	Schlage, LaSalle J54 619, Finish: Brushed Nickel
Door Privacy Lock	320	Schlage, LaSalle J40 619, Finish: Brushed Nickel
Door Passage Lock	320	Schlage, LaSalle J10 619, Finish: Brushed Nickel
Door Dummy Lock	320	Schlage, LaSalle J170 619, Finish: Brushed Nickel
House Numbers	320	Ives, 5", Finish: Brushed Nickel
Safety Rail	320	White Metal Safety Rail at Rear Door GR3416 (6') or GR3430 (3')
Cabinets and Counters		
Cabinet - Vanities	310	Timberlake Cabinets, Finish: Per Design Collection
Cabinet - Kitchen	310	Std Kitchen Layout; Timberlake Cabinets, Finish: Per Design Collection
Cabinet - Hardware	310	See Classic Collection
Backsplash - Kitchen	315	4" Backsplash to match countertop
Countertop - Kitchen	315	See Classic Collection
Countertop - Primary Bath	315	See Classic Collection
Countertop - Secondary Bath	310	See Classic Collection
Appliances		
Refrigerator	336	GE 21.8 Cu. Ft. Counter-Depth Side-by-Side, GZ22IYNFS
Range	336	GE 30" Free-Standing Electric Convection Range, JB735SPS
Dishwasher	336	GE Top Control with Stainless Steel Interior, GDT635HSRSS
Microwave/ Vented to outside	336	GE 1.6 Cu. Ft. Over-the-Range Microwave Oven, JVM3162RJSS
Mailbox		
Mailbox	360	4x4 pressure treated post painted black w/ standard #1 black metal box MP17 OR House Mounted L4010 Black, as required by jurisdiction